## **Meeker County Crop Productivity Index (CPI)**

County	Mapunit Symbol	Mapunit Name	CPI
Meeker	8B	Sparta loamy sand, 1 to 6 percent slopes	39
Meeker	8C	Sparta loamy sand, 6 to 12 percent slopes	35
Meeker	8D	Sparta loamy sand, 12 to 25 percent slopes	23
Meeker	35	Blue Earth mucky silt loam, 0 to 1 percent slopes	77
Meeker	39A	Wadena loam, 0 to 2 percent slopes	66
Meeker	41A	Estherville sandy loam, 0 to 2 percent slopes	44
Meeker	85	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	81
Meeker	86	Canisteo clay loam, moderately fine substratum, 0 to 2 percent slopes	93
Meeker	96B	Collinwood silty clay loam, 3 to 6 percent slopes	86
Meeker	101B	Truman silt loam, 2 to 6 percent slopes	99
Meeker	102B	Clarion loam, moderately fine substratum, 2 to 5 percent slopes	95
Meeker	106C2	Lester loam, 6 to 12 percent slopes, eroded	76
Meeker	112	Harps clay loam, 0 to 2 percent slopes	90
Meeker	113	Webster clay loam, 0 to 2 percent slopes	93
Meeker	114	Glencoe clay loam, depressional, 0 to 1 percent slopes	86
Meeker	129	Cylinder loam, 0 to 1 percent slopes	65
Meeker	130	Nicollet clay loam, 1 to 3 percent slopes	99
Meeker	134	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	86
Meeker	136	Madelia silty clay loam, 0 to 2 percent slopes	94
Meeker	140	Spicer silty clay loam, 0 to 2 percent slopes	91
Meeker	143B	Chelsea loamy fine sand, 1 to 6 percent slopes	46
Meeker	178	Granby fine sandy loam, 0 to 1 percent slopes	50
Meeker	181	Litchfield loamy fine sand, 0 to 2 percent slopes	67
Meeker	183	Dassel mucky fine sandy loam, depressional, 0 to 1 percent slopes	72

County	Mapunit Symbol	Mapunit Name	СРІ
Meeker	197	Kingston silty clay loam, 1 to 3 percent slopes	100
Meeker	211	Lura silty clay, depressional, 0 to 1 percent slopes	81
Meeker	229	Waldorf silty clay loam, 0 to 2 percent slopes	85
Meeker	239	Le Sueur clay loam, 1 to 3 percent slopes	98
Meeker	281	Darfur loam, 0 to 2 percent slopes	82
Meeker	286B	Shorewood silty clay loam, 3 to 6 percent slopes	95
Meeker	311C2	Shorewood silty clay, 6 to 12 percent slopes, eroded	83
Meeker	327A	Dickman sandy loam, 0 to 2 percent slopes	49
Meeker	327B	Dickman sandy loam, 2 to 6 percent slopes	49
Meeker	399	Biscay loam, depressional, 0 to 1 percent slopes	64
Meeker	415	Kanaranzi loam, 0 to 3 percent slopes	57
Meeker	423	Seaforth loam, 1 to 3 percent slopes	95
Meeker	511	Marcellon loam, 0 to 3 percent slopes	90
Meeker	523	Houghton muck, depressional, 0 to 1 percent slopes	74
Meeker	525	Muskego muck, depressional, 0 to 1 percent slopes	81
Meeker	548	Medo muck, depressional, 0 to 1 percent slopes	84
Meeker	610	Calco silty clay loam, 0 to 1 percent slopes, frequently flooded	20
Meeker	611D	Hawick gravelly sandy loam, 12 to 25 percent slopes	31
Meeker	612B	Wadenill loam, 2 to 6 percent slopes	92
Meeker	613	Grovecity loam, 1 to 3 percent slopes	100
Meeker	664	Zook silty clay loam, 0 to 2 percent slopes, occasionally flooded	81
Meeker	740	Hamel-Glencoe, depressional complex, 0 to 3 percent slopes	93
Meeker	804B	Koronis-Sunburg-Hawick complex, 2 to 6 percent slopes	76
Meeker	804C2	Koronis-Sunburg-Hawick complex, 6 to 12 percent slopes, eroded	66
Meeker	804D2	Koronis-Sunburg-Hawick complex, 12 to 18 percent slopes, eroded	52

County	Mapunit Symbol	Mapunit Name	СРІ
Meeker	804E	Koronis-Sunburg-Hawick complex, 18 to 40 percent slopes	23
Meeker	805C2	Sunburg-Wadenill complex, 6 to 12 percent slopes, eroded	77
Meeker	805D2	Sunburg-Wadenill complex, 12 to 18 percent slopes, eroded	59
Meeker	875B	Estherville-Hawick complex, 2 to 6 percent slopes	43
Meeker	875C	Hawick-Estherville complex, 6 to 12 percent slopes	39
Meeker	887B	Clarion-Swanlake complex, 2 to 6 percent slopes	92
Meeker	899	Harps-Okoboji, depressional complex, 0 to 2 percent slopes	89
Meeker	909C2	Bold-Truman complex, 6 to 12 percent slopes, eroded	81
Meeker	909D2	Bold-Truman complex, 12 to 18 percent slopes, eroded	67
Meeker	920B	Clarion-Storden-Hawick complex, 2 to 6 percent slopes	72
Meeker	945D2	Lester-Storden complex, 12 to 18 percent slopes, eroded	68
Meeker	945E	Lester-Storden complex, 18 to 40 percent slopes	6
Meeker	956	Canisteo-Glencoe, depressional complex, 0 to 2 percent slopes	91
Meeker	960C2	Storden-Omsrud complex, 6 to 12 percent slopes, eroded	78
Meeker	960D2	Storden-Omsrud complex, 12 to 18 percent slopes, eroded	65
Meeker	978	Cordova-Rolfe, depressional complex, 0 to 2 percent slopes	86
Meeker	1015	Udipsamments (cut and fill land)	0
Meeker	1016	Udorthents, Loamy (cut, and Fill land)	0
Meeker	1030	Pits, gravel-Udipsamments complex	0
Meeker	1080	Klossner, Okoboji, and Glencoe soils, ponded, 0 to 1 percent slopes	5
Meeker	1096	Fieldon-Dassel, depressional complex, 0 to 2 percent slopes	74
Meeker	1097	Mayer-Biscay, depressional complex, 0 to 2 percent slopes	70
Meeker	1098	Biscay-Biscay, depressional complex, 0 to 2 percent slopes	68
Meeker	1099	Granby loamy fine sand, very wet, 0 to 1 percent slopes	15
Meeker	1100	Nicollet silty clay loam, 1 to 3 percent slopes	100

County	Mapunit Symbol	Mapunit Name	СРІ
Meeker	1101	Webster silty clay loam, moderately fine substratum, 0 to 2 percent slopes	93
Meeker	1159B	Strout-Arkton complex, 2 to 6 percent slopes	83
Meeker	1162A	Kandiyohi clay, 0 to 2 percent slopes	90
Meeker	1162B	Kandiyohi clay, 2 to 5 percent slopes	90
Meeker	1163	Cohoctah loam, 0 to 2 percent slopes, frequently flooded	20
Meeker	1165	Lundlake silty clay loam, depressional, 0 to 1 percent slopes	86
Meeker	1169	Corvuso-Lura, depressional complex, 0 to 2 percent slopes	80
Meeker	1171C	Newlondon-Strout complex, 6 to 12 percent slopes, eroded	77
Meeker	1172C	Sparta-Gardencity complex, 6 to 12 percent slopes	47
Meeker	1173	Muskego and Klossner soils, depressional, 0 to 1 percent slopes, frequently flooded	5
Meeker	1174	Danielson clay loam, 1 to 3 percent slopes	93
Meeker	1175	Swedegrove loam, 0 to 2 percent slopes	89
Meeker	1176	Litchfield sandy loam, 0 to 2 percent slopes	67
Meeker	1177C	Gardencity-Bold complex, 6 to 12 percent slopes, eroded	78
Meeker	1178	Uniongrove loam, 0 to 2 percent slopes	94
Meeker	1184	Corvuso silty clay loam, 0 to 2 percent slopes	78
Meeker	1185	Gardencity fine sandy loam, moderately wet, 0 to 2 percent slopes	90
Meeker	1193	Cosmos silty clay, 0 to 2 percent slopes	81
Meeker	1197	Cohoctah fine sandy loam, 0 to 2 percent slopes, occasionally flooded	86
Meeker	1203	Muskego, Blue Earth, and Houghton soils, ponded	5
Meeker	1204B	Reedslake loam, 2 to 5 percent slopes	98
Meeker	1213C	Cokato-Storden complex, 6 to 12 percent slopes, eroded	84
Meeker	1220C	Cokato-Storden-Hawick complex, 6 to 12 percent slopes, eroded	77
Meeker	1356	Water, miscellaneous	0
Meeker	1383A	Shorewood silty clay loam, moderately wet, 0 to 3 percent slopes	95

County	Mapunit Symbol	Mapunit Name	СРІ
Meeker	1384	Minneopa loam, 0 to 2 percent slopes	51
Meeker	1385	Havelock loam, 0 to 2 percent slopes, frequently flooded	20
Meeker	1387A	Collinwood silty clay loam, moderately wet, 0 to 3 percent slopes	86
Meeker	1391B	Wadenill-Sunburg complex, 2 to 6 percent slopes	88
Meeker	1406	Medo, Dassel, and Biscay soils, ponded, 0 to 1 percent slopes	5
Meeker	1801B	Gardencity very fine sandy loam, 2 to 6 percent slopes	90
Meeker	L13A	Klossner muck, dpressional, 0 to 1 percent slopes	77
Meeker	L33A	Kandiyohi clay, 0 to 2 percent slopes	90
Meeker	L33B	Kandiyohi clay, 2 to 5 percent slopes	90
Meeker	L34A	Cosmos silty clay, 0 to 2 percent slopes	81
Meeker	L83A	Webster clay loam, 0 to 2 percent slopes	93
Meeker	L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	86
Meeker	L85A	Nicollet clay loam, 1 to 3 percent slopes	99
Meeker	L107A	Canisteo-Glencoe, depressional complex, 0 to 2 percent slopes	91
Meeker	L163A	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	86
Meeker	L164A	Lura silty clay, depressional, firm substratum, 0 to 1 percent slopes	81
Meeker	L166C2	Newlondon-Strout complex, 6 to 12 percent slopes, moderately eroded	77
Meeker	L166D2	Newlondon-Strout complex, 12 to 18 percent slopes, moderately eroded	64
Meeker	L179A	Corvuso-Lura, depressional, firm substratum complex, 0 to 2 percent slopes	80
Meeker	L184A	Corvuso silty clay loam, 0 to 2 percent slopes	78
Meeker	L185B	Strout-Arkton complex, 2 to 6 percent slopes	83
Meeker	L186A	Danielson-Danielson, overwash complex, 1 to 4 percent slopes	93
Meeker	L187A	Klossner, firm substratum, and Lura soils, ponded, 0 to 1 percent slopes	5
Meeker	L191A	Blue Earth, Houghton, and Klossner soils, ponded, firm substratum, 0 to 1 percent slopes	5
Meeker	L199A	Muskego-Klossner, depressional, firm substratum complex, 0 to 1 percent slopes	79

County	Mapunit Symbol	Mapunit Name	СРІ
Meeker	L200A	Klossner muck, depressional, firm substratum, 0 to 1 percent slopes	76
Meeker	L204C2	Newlondon-Strout-Hawick complex, 6 to 12 percent slopes, moderately eroded	67
Meeker	L204D2	Newlondon-Strout-Hawick complex, 12 to 18 percent slopes, moderately eroded	57
Meeker	L205A	Blue Earth mucky silty clay loam, depressional, firm substratum, 0 to 1 percent slopes	74
Meeker	L206B	Strout-Arkton-Estherville complex, 2 to 6 percent slopes	77
Meeker	L210F	Arkton-Strout complex, 18 to 40 percent slopes	21
Meeker	L307B	Koronis loam, 2 to 6 percent slopes	88
Meeker	L307C2	Koronis loam, 6 to 12 percent slopes, moderately eroded	77
Meeker	L307E	Koronis loam, 18 to 40 percent slopes	29
Meeker	L315C2	Sunburg-Wadenill-Hawick complex, 6 to 12 percnet slopes, moderately eroded	67
Meeker	L315D2	Sunburg-Wadenill-Hawick complex, 12 to 18 percent slopes, moderately eroded	54
Meeker	L317A	Barry loam, 0 to 2 percent slopes	87
Meeker	L318A	Lundlake silt clay loam, 0 to 1 percent slopes	86
Meeker	L319A	Swendegrove-Lundlake complex, 0 to 2 percent slopes	88
Meeker	L320A	Muskego and Klossner soils, lundlake catena, 0 to 1 percent slopes, frequently flooded	20
Meeker	L321A	Swedegrove loam, 0 to 2 percent slopes	89
Meeker	L322A	Uniongrove loam, 0 to 2 percent slopes	94
Meeker	L323A	Crowriver loam, 0 to 2 percent slopes	85
Meeker	L324A	Forestcity, overwash-Forestcity complex, 1 to 4 percent slopes	88
Meeker	L325A	Crowriver-Lundlake complex, 0 to 2 percent slopes	85
Meeker	L326B	Rohrveck-Koronis complex, 1 to 6 percent slopes	78
Meeker	L330A	Muskego, Blue Earth and Houghton soils, lundlake catena, 0 to 1 percent slopes	5
Meeker	L331A	Klossner muck, lundlake catena, 0 to 1 percent slopes	77
Meeker	L332A	Blue Earth mucky silt loam, lundlake catena, 0 to 1 percent slopes	77
Meeker	L334A	Houghton and Muskego soils, lundlake catena, 0 to 1 percent slopes	74

County	Mapunit Symbol	Mapunit Name	СРІ
Meeker	L335A	Klossner soils, lundlake catena, 0 to 1 percent slopes	77
Meeker	L336A	Arctander, overwash-Arctander complex, 1 to 4 percent slopes	88
Meeker	L337B	Wadenill-Sunburg complex, 2 to 6 percent slopes	88
Meeker	L340B	Wadenill-Sunburg-Hawick complex, 2 to 6 percent slopes	76
Meeker	L345A	Seaforth loam, lundlake catena, 1 to 3 percent slopes	95
Meeker	L347A	Klossner and Lundlake soils, 0 to 1 percent slopes, ponded	5
Meeker	L350A	Marcellon loam, 0 to 3 percent slopes	90
Meeker	L351A	Houghton muck, lundlake catena, 0 to 1 percent slopes	74
Meeker	L352A	Muskego muck, lundlake catena, 0 to 1 percent slopes	81
Meeker	L353B	Wadenill loam, 2 to 6 percent slopes	92
Meeker	L354A	Grovecity loam, 1 to 3 percent slopes	100
Meeker	L355B	Koronis-Sunburg-Hawick complex, 2 to 6 percent slopes	76
Meeker	L355C2	Koronis-Sunburg-Hawick complex, 6 to 12 percent slopes, moderately eroded	66
Meeker	L355D2	Koronis-Sunburg-Hawick complex, 12 to 18 percent slopes, moderately eroded	52
Meeker	L355E	Koronis-Sunburg-Hawick complex, 18 to 40 percent slopes	23
Meeker	L356C2	Sunburg-Wadenill complex, 6 to 12 percent slopes, moderately eroded	77
Meeker	L356D2	Sunburg-Wadenill complex, 12 to 18 percent slopes, moderately eroded	59
Meeker	L357B	Koronis-Sunburg complex, 2 to 6 percent slopes	88
Meeker	L357C2	Koronis-Sunburg complex, 6 to 12 percent slopes, moderately eroded	77
Meeker	L357D2	Koronis-Sunburg complex, 12 to 18 percent slopes, moderately eroded	61
Meeker	W	Water	0